



NETWORK WITH US



BICYCLES

BICICLETTA · BICYCLETES · FAHRRÄDER
BICICLETAS · BICICLETAS · FIETSEN

BICYCLES

All keys are in 1:1 scale



FOR ABUS®



8 0 0 3 7 3 7 9 3 8 2 6 6



AB111
STEEL KEY

FOR ABUS®



8 0 0 3 7 3 7 8 6 7 8 3 2



AB58AP
STEEL KEY

FOR ABUS®



8 0 0 3 7 3 7 5 0 9 8 1 7




AB65RAP
BRASS KEY

FOR ASSA®



8 0 0 3 7 3 6 5 5 0 2 8 5



ASS54
STEEL KEY

FOR ABUS®



8 0 0 3 7 3 7 9 3 8 2 5 9



AB111R
STEEL KEY

FOR ABUS®



8 0 0 3 7 3 7 5 0 9 8 0 0




AB64RAP
BRASS KEY

FOR ASSA®



8 0 5 2 7 8 2 9 7 4 7 5 0



ASS54
BRASS KEY

FOR ASSA®



8 0 0 3 7 3 6 5 5 0 3 5 3



ASS59
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



BICYCLES

All keys are in 1:1 scale

FOR ASSA®



8 0 0 3 7 3 6 5 0 3 6 0



ASS59R
STEEL KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 4 1 4 5




ASS60R
STEEL KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 4 1 9 0



ASS62
BRASS KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 5 9 8 2



ASS95
STEEL KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 4 1 2 1




ASS60
STEEL KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 4 1 7 6




ASS61
BRASS KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 4 1 8 3



ASS62
STEEL KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 0 0 2



ASS95R
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR ASSA®



8 0 0 3 7 3 6 5 5 1 0 1 5



ASS96

BRASS KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 1 2 5



ASS96

ULTRALITE KEY - BLUE SKY

FOR ASSA®



8 0 0 3 7 3 6 5 5 1 0 0 8



ASS96

STEEL KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 1 4 9



ASS96R

BRASS KEY

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 1 1 8



ASS96

ULTRALITE KEY - VIOLET

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 0 7 1



ASS96

ULTRALITE KEY - BLUE

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 2 3 1



ASS96R

ULTRALITE KEY - BLUE SKY

FOR ASSA®



8 0 0 3 7 3 6 0 1 6 1 3 2



ASS96R

STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale

FOR ASSA®



ASS96R

ULTRALITE KEY - VIOLET


FOR AXA®



AX1RP

STEEL KEY


FOR AXA®



AX5RP

STEEL KEY

FOR BLOSTER®



BL02

STEEL KEY

FOR AXA®



AX1P

STEEL KEY

FOR AXA®



AX4RP

STEEL KEY

FOR BASTA®



BAS2R

STEEL KEY

FOR BURG®



BUR55R

STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR BURG®



8 0 0 3 7 3 7 8 2 7 8 8 1



BUR57R
STEEL KEY

FOR CAF®



8 0 0 3 7 3 6 2 7 0 3 3 6



CAF2R
BRASS KEY

FOR CISA®



8 0 0 3 7 3 6 0 4 2 5 1 3



CS10
STEEL KEY

FOR CISA®



8 0 0 3 7 3 6 2 7 1 2 8 9



CS10R
BRASS KEY

FOR CAF®



8 0 0 3 7 3 6 0 3 0 3 7 4



CAF2
BRASS KEY

FOR CISA®



8 0 0 3 7 3 6 0 4 2 5 2 0



CS10
BRASS KEY

FOR CISA®



8 0 5 2 7 8 2 9 7 5 2 6 9



CS10R
STEEL KEY

FOR CMP®



8 0 0 3 7 3 6 8 6 4 2 7 6



CMP1
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



BICYCLES

All keys are in 1:1 scale

FOR COBRA®



8 0 0 3 7 3 6 0 3 1 3 2 6



CBR1
STEEL KEY

FOR COBRA®



8 0 0 3 7 3 6 0 3 1 3 4 0



CBR2P
STEEL KEY

FOR EURO LOCKS®



8 0 0 3 7 3 6 3 0 7 2 0 9



LF15R
STEEL KEY

FOR FABBRI®



8 0 0 3 7 3 6 0 7 0 5 7 8



FBR1
STEEL KEY

FOR COBRA®



8 0 0 3 7 3 6 0 3 1 3 3 3



CBR1
BRASS KEY

FOR EURO LOCKS®



8 0 0 3 7 3 6 3 0 7 1 9 3



LF13
STEEL KEY

FOR EURO LOCKS®



8 0 0 3 7 3 6 5 6 2 9 5 0



LF17
STEEL KEY

FOR FABBRI®



8 0 0 3 7 3 6 0 7 0 5 8 5



FBR1
BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR FABBRI®



8 0 0 3 7 3 6 0 7 0 5 9 2



FBR1R
STEEL KEY

FOR FABBRI®



8 0 0 3 7 3 6 0 7 0 6 3 9



FBR2R
STEEL KEY

FOR FARMA®



8 0 0 3 7 3 6 0 7 0 2 2 6



FAR1R
STEEL KEY

FOR FARMA®



8 0 0 3 7 3 6 0 7 0 2 5 7



FAR2
BRASS KEY

FOR FABBRI®



8 0 0 3 7 3 6 0 7 0 6 1 5



FBR2
STEEL KEY

FOR FARMA®



8 0 0 3 7 3 6 0 7 0 2 0 2



FAR1
STEEL KEY

FOR FARMA®



8 0 0 3 7 3 6 0 7 0 2 4 0



FAR2
STEEL KEY

FOR FARMA®



8 0 0 3 7 3 6 0 7 0 2 6 4



FAR2R
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale

FOR FARMA®



FAR2R
BRASS KEY

FOR FARMA®



FAR3R
STEEL KEY

FOR FAS®



FAS1
STEEL KEY

FOR FAS®



FAS3
STEEL KEY

FOR FARMA®



FAR3
STEEL KEY

FOR FARMA®




FAR4R
STEEL KEY

FOR FAS®



FAS2
STEEL KEY

FOR GIANT®



GNT1P
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR HEBIE®



8 0 0 3 7 3 6 0 8 8 4 7 4



HB1R
BRASS KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 5 6 2 9 8 1



LF18R
BRASS KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 1 0 8 2 3 3



LF4
STEEL KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 1 0 8 4 6 2



LF6
STEEL KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 5 6 2 9 7 4



LF18R
STEEL KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 1 0 8 2 4 0



LF4
BRASS KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 3 0 7 3 0 8



LF4R
STEEL KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 1 0 8 4 7 9



LF6
BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



BICYCLES

All keys are in 1:1 scale

FOR LOWE & FLETCHER®



8 0 0 3 7 3 7 9 2 8 7 2 4



LF6R

BRASS KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 7 9 2 6 1 5 7



LF6R

KEY

FOR LUMA®



8 0 0 3 7 3 6 1 0 9 5 5 1



LM1R

STEEL KEY

FOR MARX®



8 0 0 3 7 3 6 1 1 6 5 4 2



MA1R

STEEL KEY

FOR LOWE & FLETCHER®



8 0 0 3 7 3 6 1 0 8 4 8 6



LF6R

STEEL KEY

FOR LUMA®



8 0 0 3 7 3 6 1 0 9 5 3 7



LM1

STEEL KEY

FOR MARX®



8 0 0 3 7 3 6 7 6 0 2 8 8



MA1

STEEL KEY

FOR MARX®



8 0 0 3 7 3 6 1 1 6 5 5 9



MA1R

BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR MARX®



8 0 0 3 7 3 7 9 2 7 9 4 9



MA1R

STEEL KEY

FOR MARX®



8 0 0 3 7 3 6 4 5 6 9 4 5



MA2

ULTRALITE KEY - BLUE SKY

FOR MARX®



8 0 0 3 7 3 6 4 5 6 8 1 5



MA2

ULTRALITE KEY - BLUE

FOR MARX®



8 0 0 3 7 3 6 4 5 6 8 3 9



MA2

ULTRALITE KEY - YELLOW

FOR MARX®



8 0 0 3 7 3 6 4 5 6 9 2 1



MA2

ULTRALITE KEY - VIOLET

FOR MARX®



8 0 0 3 7 3 6 1 1 6 5 6 6



MA2

STEEL KEY

FOR MARX®



8 0 0 3 7 3 6 4 5 6 7 7 8



MA2

ULTRALITE KEY - RED

FOR MARX®



8 0 0 3 7 3 6 4 5 6 7 9 2



MA2


ULTRALITE KEY - GREEN

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



BICYCLES

All keys are in 1:1 scale

FOR MARX®




8 0 0 3 7 3 6 4 5 6 8 5 3






MA2
ULTRALITE KEY - BLACK

FOR MARX®




8 0 0 3 7 3 6 4 5 7 1 0 2






MA2R
ULTRALITE KEY - VIOLET

FOR MARX®




8 0 0 3 7 3 6 4 5 7 0 6 5






MA2R
ULTRALITE KEY - BLACK

FOR MARX®




8 0 0 3 7 3 6 4 5 7 0 4 1






MA2R
ULTRALITE KEY - YELLOW

FOR MARX®




8 0 0 3 7 3 6 1 1 6 5 9 7






MA2R
BRASS KEY

FOR MARX®




8 0 0 3 7 3 6 4 5 7 0 0 3






MA2R
ULTRALITE KEY - GREEN

FOR MARX®




8 0 0 3 7 3 6 1 1 6 5 8 0






MA2R
STEEL KEY

FOR MARX®



8 0 0 3 7 3 6 4 5 7 0 2 7

MA2R
ULTRALITE KEY - BLUE

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR NEIMAN®



8 0 0 3 7 3 6 1 2 4 4 5 5



NE1

BRASS KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 4 5 0 9



NE11

STEEL KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 5 3 0 8



NE34

STEEL KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 5 6 3 6



NE43

BRASS KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 4 4 4 8



NE1

STEEL KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 4 4 6 2



NE1R

STEEL KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 5 6 2 9



NE43

STEEL KEY

FOR NEIMAN®



8 0 0 3 7 3 6 1 2 5 6 5 0



NE43P

BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale

FOR NEIMAN®



NE58
BRASS KEY

FOR NEIMAN®



NE58P
BRASS KEY

FOR NEIMAN®



NE61
STEEL KEY

FOR NEIMAN®



NE61P
STEEL KEY

FOR NEIMAN®



NE58
STEEL KEY

FOR NEIMAN®



NE58P
STEEL KEY

FOR NEIMAN®



NE61
BRASS KEY

FOR REG®



REG1
STEEL KEY

BICYCLES

All keys are in 1:1 scale



FOR SIS®




SSP1
STEEL KEY

FOR SIS®




SSP2
STEEL KEY

FOR STAHLEX®



STH1RP
BRASS KEY

FOR STARRY®




STY1RP
STEEL KEY

FOR SIS®




SSP1R
STEEL KEY

FOR STAHLEX®



STH1P
BRASS KEY

FOR STARRY®



STY1P
STEEL KEY

FOR TOK-WINKHAUS®




T010
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale

FOR TRELOCK®




TRK11DP
SILVER NICKEL KEY

FOR TRELOCK®



**Red Head
Testa Rossa**




TRK2RAP
BRASS KEY - RED

FOR TRELOCK®



**Red Head
Testa Rossa**



TRK3RBP
BRASS KEY - RED

FOR TRELOCK®



TRK4CP
BRASS KEY - RED

FOR TRELOCK®



TRK1P
BRASS KEY - RED

FOR TRELOCK®



TRK5P
BRASS KEY - RED

BICYCLES


All keys are in 1:1 scale



FOR TRELOCK®



8 0 0 3 7 3 7 7 6 1 4 1




TRK6P
BRASS KEY

FOR TRELOCK®



8 0 0 3 7 3 7 8 2 5 2 6 9

**Red Head
Testa Rossa**



TRK7P
STEEL KEY - RED

FOR TRELOCK®



8 0 0 3 7 3 7 8 5 1 8 1 7



TRK8DP
SILVER NICKEL KEY

FOR TRELOCK®



8 0 0 3 7 3 7 8 5 4 8 8 7



TRK9R
STEEL KEY

FOR TRELOCK®



8 0 0 3 7 3 7 8 5 4 8 2 5



TRK9
STEEL KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 1 1 5 2



UNI1
BRASS KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale

FOR UNION®

8 0 0 3 7 3 6 1 7 1 1 4 5

UNI1
STEEL KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 1 9 0

UNI10
BRASS KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 2 4 4

UNI11A
BRASS KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 2 8 2

UNI11B
BRASS KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 1 8 3

UNI10
STEEL KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 2 3 7

UNI11A
STEEL KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 2 5 1

UNI11AP
STEEL KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 1 2 7 5

UNI11B
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR UNION®



8 0 0 3 7 3 6 1 7 1 3 0 5



UNI11BP
BRASS KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 1 3 3 6



UNI13
STEEL KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 1 6 1 9



UNI20
STEEL KEY

FOR UNION®



8 0 0 3 7 3 6 5 6 9 9 0 4



UNI43
STEEL KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 1 3 4 3



UNI13
BRASS KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 1 1 6 9



UNI1R
STEEL KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 2 6 7 8



UNI4
STEEL KEY

FOR UNION®



8 0 0 3 7 3 6 1 7 2 6 9 2



UNI4R
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale

FOR UNION®

8 0 0 3 7 3 6 1 7 3 1 1 8

UNI5
STEEL KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 3 3 9 2

UNI6
STEEL KEY

FOR UR (UTTINACCI)®

8 0 0 3 7 3 6 1 7 3 6 4 4

U1R
STEEL KEY

FOR UR (UTTINACCI)®

8 0 0 3 7 3 6 1 7 3 6 7 5

U2R
STEEL KEY

FOR UNION®

8 0 0 3 7 3 6 1 7 3 4 0 8

UNI6
BRASS KEY

FOR UR (UTTINACCI)®

8 0 0 3 7 3 6 1 7 3 6 3 7

U1
STEEL KEY

FOR UR (UTTINACCI)®

8 0 0 3 7 3 6 1 7 3 6 5 1

U2
STEEL KEY

FOR UR (UTTINACCI)®

8 0 0 3 7 3 6 1 7 3 6 9 9

U3
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR UR (UTTINACCI)®



8 0 0 3 7 3 6 1 7 3 7 8 1



U4

STEEL KEY

FOR WASO®



8 0 0 3 7 3 6 1 8 3 7 0 4



WAS8

STEEL KEY

FOR ZADI®



8 0 0 3 7 3 7 4 9 1 4 1 9



ZD1

BRASS KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 1 7 1



ZD11P

BRASS KEY

FOR UR (UTTINACCI)®



8 0 0 3 7 3 6 1 7 3 8 0 4



U4R

STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 1 1 9



ZD1

STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 1 4 0



ZD11

STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 1 8 8



ZD12

STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 2 1 8

ZD13R
BRASS KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 3 0 0

ZD18
STEEL KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 3 2 4

ZD2
STEEL KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 3 5 5

ZD4
STEEL KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 2 0 1

ZD13R
STEEL KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 3 1 7

ZD19
STEEL KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 3 4 8

ZD3
STEEL KEY

FOR ZADI®

8 0 0 3 7 3 6 2 0 4 3 7 9

ZD4R
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.

BICYCLES

All keys are in 1:1 scale



FOR ZADI®



8 0 0 3 7 3 6 2 0 4 3 8 6



ZD5
STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 4 0 9



ZD6

STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 4 2 3



ZD7
STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 4 6 1



ZD9
BRASS KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 3 9 3



ZD5R
STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 4 3 0



ZD7

BRASS KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 4 4 7



ZD8
STEEL KEY

FOR ZADI®



8 0 0 3 7 3 6 2 0 4 4 5 4



ZD9
STEEL KEY

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.


FOR ZADI®



ZD9P

BRASS KEY

FOR ZADI®



ZD9P

STEEL KEY



GENERAL INDEX

INDICE GENERALE · GENERALVERZEICHNIS · INDEX GÉNÉRAL

INDICE GENERAL · ÍNDICE GERAL · ALGEMENE INDEX

AB111	1	MA1R	10	ZD12	21
AB111R	1	MA2	11	ZD13R	22
AB58AP	1	MA2R	12	ZD18	22
AB64RAP	1	NE1	13	ZD19	22
AB65RAP	1	NE11	13	ZD2	22
ASS54	1	NE1R	13	ZD3	22
ASS59	1	NE34	13	ZD4	22
ASS59R	2	NE43	13	ZD4R	22
ASS60	2	NE43P	13	ZD5	23
ASS60R	2	NE58	14	ZD5R	23
ASS61	2	NE58P	14	ZD6	23
ASS62	2	NE61	14	ZD7	23
ASS95	2	NE61P	14	ZD8	23
ASS95R	2	REG1	14	ZD9	23
ASS96	3	SSP1	15	ZD9P	24
ASS96R	3	SSP1R	15		
AX1P	4	SSP2	15		
AX1RP	4	STH1P	15		
AX4RP	4	STH1RP	15		
AX5RP	4	STY1P	15		
BAS2R	4	STY1RP	15		
BLO2	4	TO10	15		
BUR55R	4	TRK11DP	16		
BUR57R	5	TRK1P	16		
CAF2	5	TRK2RAP	16		
CAF2R	5	TRK3RBP	16		
CBR1	6	TRK4CP	16		
CBR2P	6	TRK5P	16		
CMP1	5	TRK6P	17		
CS10	5	TRK7P	17		
CS10R	5	TRK8DP	17		
FAR1	7	TRK9	17		
FAR1R	7	TRK9R	17		
FAR2	7	U1	20		
FAR2R	7	U1R	20		
FAR3	8	U2	20		
FAR3R	8	U2R	20		
FAR4R	8	U3	20		
FAS1	8	U4	21		
FAS2	8	U4R	21		
FAS3	8	UNI1	17		
FBR1	6	UNI10	18		
FBR1R	7	UNI11A	18		
FBR2	7	UNI11AP	18		
FBR2R	7	UNI11B	18		
GNT1P	8	UNI11BP	19		
HB1R	9	UNI13	19		
LF13	6	UNI1R	19		
LF15R	6	UNI20	19		
LF17	6	UNI4	19		
LF18R	9	UNI43	19		
LF4	9	UNI4R	19		
LF4R	9	UNI5	20		
LF6	9	UNI6	20		
LF6R	10	WAS8	21		
LM1	10	ZD1	21		
LM1R	10	ZD11	21		
MA1	10	ZD11P	21		

In compliance with current regulations relating to industrial property, we hereby state that the trade-marks or trade names mentioned in this document are the exclusive property of authorized manufacturers of locks and users. Said trade-marks or trade names are nominated only for the purposes of information so that any lock for which our keys are made can be rapidly identified. This document is reserved exclusively for professional key cutters who use Silca products. / All information and illustrations in this document are for guidance only. Silca reserves the right to alter products designs, dimensions or info to improve the products quality. The contents of this document are fully protected by Copyright and may not be copied or reproduced in any form, without written permission from Silca S.p.A. Any controversy shall be settled by the Courts of Justice where the company Silca S.p.A. has its headquarters, with express exclusion of any other court.



**ITALY
AND OTHER COUNTRIES
SILCA S.p.A.**

Via Podgora, 20 (Z.I.)
31029 VITTORIO VENETO (TV)
Tel. +39 0438 9136
Fax +39 0438 913800
E-mail: silca@silca.it
www.silca.biz - www.silca.it

**FRANCE
SILCA S.A.S.**

12, Rue de Rouen
Z.I. Limay-Porcheville
78440 PORCHEVILLE
Phone: +33 1 30983500
Fax +33 1 30983501
E-mail: info@silca.fr
www.silca.fr

**SPAIN
SILCA KEY SYSTEMS S.A.**

C/Santander 73A
08020 BARCELONA
Phone: +34 93 4981400
Fax +34 93 2788004
E-mail: silca@silca.es
www.silca.es

**GERMANY
SILCA GmbH**

Siemensstrasse, 33
42551 VELBERT
Phone: +49 2051 2710
Fax +49 2051 271172
E-mail: info@silca.de
www.silca.de

**UNITED KINGDOM
SILCA**

Unit 6 Lloyds Court
Manor Royal
RH10 9QU CRAWLEY
Phone: +44 1293 531134
Fax +44 1293 531108
E-mail: sales@silcald.co.uk
www.silcald.co.uk

**BENELUX
H. CILLEKENS & B.V.**

Metaalweg, 4
6045 JB ROERMOND
Phone: +31 475 325147
Fax +31 475 323640
E-mail: info@hcillekens.nl
www.hcillekens.nl

**UNITED KINGDOM
ADVANCED DIAGNOSTICS Ltd.**

Eastboro Fields
Hemdale Business Park
CV11 6GL NUNEATON
Phone: +44 2476 347000
Fax + 44 2476 347100
E-mail: sales@advanced-diagnostics.com
www.advanced-diagnostics.com



dormakaba Group